

HiLook 8 Channel 1080P
ColorVu Kit

HiLook
By HIKVISION

ColorVu
Technology



1080P

500GB

RG59
100M

 CCTV DIRECT

Colour Night vision - HiLook by
Hikvision 8ch Turbo HD kit - 8 x 1080p
ColorVu cameras - 20m Full colour
night vision - 500GB HDD - 100m
Cable

R 7,500.00

Colour Night vision - HiLook by Hikvision 8ch Turbo HD kit - 8 x 1080p ColorVu cameras - 20m Full colour night vision - 500GB HDD - 100m Cable

Kit Includes

- 1 x HiLook DVR-208-F1 8 channel TVI 1080P Lite Hybrid DVR With Smartphone and PC viewing
- 8 x HiLook *THC-B129*: 2MP ColorVu Bullet Camera, 20m Distance, IP66
- 1 x 500GB SATA Hard Drive
- 16 x BNC Plug
- 8 x DC plugs
- 1 x 12VDC 10A Power Supply
- 1 x 100m Cable RG59 Co-Axial
- No Screen



2MP 1080p Full colour night vision camera

2.8mm wide angle lens

IP66 weatherproof

20m Night vision



HiLook

Video Input and Transmission

- Connectable to Turbo HD/HDCVI/AHD/CVBS signal input
- Up to 2-ch 960p IP cameras input
- Long distance transmission over UTP and coaxial cable

Compression and Recording

- One-key enable H.264+ compression to improve encoding efficiency by up to 50% and reduce data storage costs
Supports real-time 1080p lite and when enabled, the image effect is similar with 1080p

Video Output

HDMI/VGA output at up to 1920 × 1080 resolution

Storage and Playback One SATA interface (up to 6TB capacity per HDD)

- 4/8/16-ch synchronous playback
- Smart search for efficient playback

Smart Function

- Supports multiple VCA (Video Content Analytics) events for both analogue and smart IP cameras
- VQD (Video Quality Diagnostics)
- Unlock pattern for device login for the admin and clear-text password available
- GUID file can be exported for password resetting and imported for finding the forgotten password
- Supports PTZ control via Omnicast VMS of Genetec protocol
- Network & Ethernet Access
- Hik-Connect & DDNS (Dynamic Domain Name System) for easy network management
- One self-adaptive 10/100Mbps network interface
- Output bandwidth limit configurable